	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	11653	(reflector or dish) with align$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:18	
2	BRS	L2	1829	1 and sensors	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 12:59	
3	BRS	L4	0	3 and (geometrical adj calculator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:00	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L5	0	3 and (calculator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:00	
5	BRS	L3	8	2 and (phase adj comparison)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:01	
6	BRS	L7	0	6 and calculator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:02	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L6	132	2 and (phase adj difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:06	
8	BRS	L8	5211	(reflector or dish) with alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:18	
9	BRS	L9	418	(reflector or dish) with misalignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:19	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	4	9 and (first adj sensor) and (second adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:21	
11	BRS	L12	5	11 and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:22	
12	BRS	L11	20	8 and (first adj sensor) and (second adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:31	
13	IS&R	L13	1	("6252558").PN.	USPAT	2005/08/29 13:33	
14	BRS	L14	1	"5451969".PN.	USPAT; USOCR	2005/08/29 13:31	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L15	1	"5327149".PN.	USPAT; USOCR	2005/08/29 13:31	
16	BRS	L16	1	"5214438".PN.	USPAT; USOCR	2005/08/29 13:32	
17	BRS	L17	1	"5130718".PN.	USPAT; USOCR	2005/08/29 13:32	
18	BRS	L18	1	"5041840".PN.	USPAT; USOCR	2005/08/29 13:32	
19	BRS	L19	1	"4260993".PN.	USPAT; USOCR	2005/08/29 13:32	
20	BRS	L21	4	20 and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:35	
21	BRS	L22	1	20 and alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:37	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	L20	32	(first adj sensor) and (second adj sensor) and (microwave adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:49	
23	BRS	L23	40	(dish adj antenna) with alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:58	
24	BRS	L24	5	23 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:51	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	L25	32	(reflector adj antenna) with alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 13:58	
26	BRS	L26	8	25 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/08/29 14:08	
27	IS&R	L27	2	(("4586050") or ("5457464")).PN.	USPAT	2005/08/29 14:08	